

SAFETY DATA SHEET Deb InstantFOAM

This Safety Data Sheet has been prepared in accordance with the Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice (Safe Work Australia, February 2016).

SECTION 1: Identification: Product identifier and chemical identity

Product identifier

Product name Deb InstantFOAM

Product No. IFS50ML-AUS, IFS250ML-AUS, IFS400ML-AUS, IFS1L-AUS, IFS1LTF-AUS

Relevant identified uses of the substance or mixture and uses advised against

Application Hand Sanitiser . For full details regarding recommended uses please refer to the product

label.

Details of the supplier of the safety data sheet

Supplier

DEB Australia Pty Ltd

Unit 1

1 Secombe Place Moorebank NSW 2170 Australia

(61 2) 8763 1800 (61 2) 8763 1899 sales@deb.com.au

Manufacturer

DEB Worldwide Healthcare Inc

76 Adams Boulevard

Brantford Ontario N3S 7V2

Telephone: 519-7591051 Fax: 519-759-6384

Emergency telephone number

Emergency telephone NSW Poisons Information Centre Contact 131126 New Zealand call 0800 764 766

SECTION 2: Hazard(s) identification

Classification of the substance or mixture

Physical hazards Flam. Liq. 2 - H225

Health hazards Eye Dam. 1 - H318

Environmental hazards Not Classified

Label elements

Signal word Danger

Deb InstantFOAM

Hazard statements H225 Highly flammable liquid and vapour.

H318 Causes serious eye damage.

Precautionary statements P210 Keep away from heat/ sparks/ open flames/ hot surfaces. - No smoking.

P233 Keep container tightly closed.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P337+P313 If eye irritation persists: Get medical advice/ attention.

P370+P378 In case of fire: Use foam, carbon dioxide, dry powder or water fog for extinction.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/ container in accordance with national regulations.

Supplemental label

information

Eye protection not required normally but wear eye protection if you are conducting an

operation where there is a risk of this product getting in the eyes.

Contains PROPAN-1-OL

Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition and information on ingredients

Mixtures

ETHANOL 60-100%

CAS number: 64-17-5

Classification

Flam. Liq. 2 - H225 Eye Irrit. 2A - H319

PROPAN-1-OL 10-30%

CAS number: 71-23-8

Classification

Flam. Liq. 2 - H225 Eye Dam. 1 - H318 STOT SE 3 - H336

PROPAN-2-OL <1%

CAS number: 67-63-0

Classification

Flam. Liq. 2 - H225 Eye Irrit. 2A - H319 STOT SE 3 - H336

The full text for all hazard statements is displayed in Section 16.

Deb InstantFOAM

INCI Alcohol Denat.

Aqua

Propyl Alcohol

Bis-PEG 12 Dimethicone

Coco-Glucoside Glyceryl Oleate

PEG-200 Hydrogenated Glyceryl Palmate

PEG-7 Glyceryl Cocoate Behentrimonium Chloride

Dihydroxypropyl PEG-5 Linoleammonium Chloride

Isopropyl Alcohol

SECTION 4: First aid measures

Description of first aid measures

General information Get medical attention if any discomfort continues.

Inhalation Move affected person to fresh air and keep warm and at rest in a position comfortable for

breathing.

Ingestion DO NOT induce vomiting. Get medical attention immediately.

Skin Contact Not relevant.

Eye contact Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15

minutes. Get medical attention promptly if symptoms occur after washing.

Most important symptoms and effects, both acute and delayed

Inhalation No specific symptoms known.

Ingestion May cause nausea, headache, dizziness and intoxication.

Skin contact None known.

Eve contact May cause severe eye irritation.

Indication of any immediate medical attention and special treatment needed

Notes for the doctor No specific recommendations.

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media Extinguish with the following media: Water spray, fog or mist. Foam, carbon dioxide or dry

powder. Dry chemicals, sand, dolomite etc.

Special hazards arising from the substance or mixture

Specific hazards Highly flammable liquid and vapour. May form explosive mixture with air at very high

concentration.

Hazardous combustion

Oxides of carbon.

products

Advice for firefighters

Protective actions during

firefighting

Fight fire from safe distance or protected location.

Special protective equipment

for firefighters

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective

clothing.

Hazchem Code •3YE

Deb InstantFOAM

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet.

Environmental precautions

Environmental precautions Do not discharge into drains or watercourses or onto the ground. Contain spillage with sand,

earth or other suitable non-combustible material.

Methods and material for containment and cleaning up

Methods for cleaning up Eliminate all sources of ignition. No smoking, sparks, flames or other sources of ignition near

spillage. Provide adequate ventilation. Absorb in vermiculite, dry sand or earth and place into

containers. Wash thoroughly after dealing with a spillage.

Reference to other sections

Reference to other sections For personal protection, see Section 8.

SECTION 7: Handling and storage, including how the chemical may be safely used

Precautions for safe handling

Usage precautions Keep away from heat, sparks and open flame. Avoid contact with eyes.

Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly closed original container in a dry, cool and well-ventilated place. Keep away

from heat, sparks and open flame.

Storage class Flammable liquid storage.

Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.

SECTION 8: Exposure controls and personal protection

Control parameters

Occupational exposure limits

ETHANOL

Long-term exposure limit (8-hour TWA): 1000 ppm 1880 mg/m³

PROPAN-1-OL

Long-term exposure limit (8-hour TWA): 200 ppm 492 mg/m³ Short-term exposure limit (15-minute): 250 ppm 614 mg/m³

Sk

PROPAN-2-OL

Long-term exposure limit (8-hour TWA): 400 ppm 983 mg/m³ Short-term exposure limit (15-minute): 500 ppm 1230 mg/m³

Sk = Absorption through the skin may be a significant source of exposure.

Ingredient comments WEL = Workplace Exposure Limits

Exposure controls

Protective equipment



Deb InstantFOAM

Appropriate engineering

controls

Not relevant.

Eye/face protection Not required normally but wear eye protection if you are conducting an operation where there

is a risk of this product getting in the eyes.

Hand protection Not relevant.

Respiratory protection Not relevant.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Appearance Clear liquid.

Colour Colourless.

Odour Alcoholic.

Odour threshold Not determined.

pH (concentrated solution): 5.0-7.5

Melting point Not determined.

Initial boiling point and range 78.6 @ 97.8 kPA°C @

Flash point 20 C°C

Evaporation rateNot determined.Flammability Limit - Lower(%)Not determined.Vapour pressure5649 Pa @ °C

Vapour density Not determined.

Relative density 0.845-0.854 g/ml @ 25 Deg C°C

Solubility Value (g/100g H2O

20°C)

Soluble in water.

Partition coefficient Not determined.

Auto-ignition temperature 475 C°C

Decomposition TemperatureNot determined.ViscosityNot determined.Explosive propertiesNot determined.

Oxidising properties Does not meet the criteria for classification as oxidising.

Other information None.

SECTION 10: Stability and reactivity

Reactivity There are no known reactivity hazards associated with this product.

Stability No particular stability concerns.

Possibility of hazardous

reactions

Not known.

Deb InstantFOAM

Conditions to avoid Avoid heat, flames and other sources of ignition.

Materials to avoid No specific material or group of materials is likely to react with the product to produce a

hazardous situation.

Hazardous decomposition

products

Oxides of carbon.

SECTION 11: Toxicological information

Information on toxicological effects

Respiratory Sensitisation

Eye Irritation/Damage

Skin Sensitisation

Acute toxicity - oral

Notes (oral LD₅o) Based on available data the classification criteria are not met.

Acute toxicity - dermal

Notes (dermal LD₅₀) Based on available data the classification criteria are not met.

Acute toxicity - inhalation

Notes (inhalation LC₅₀) Based on available data the classification criteria are not met.

Skin corrosion/irritation

Animal data Based on available data the classification criteria are not met.

Respiratory sensitisation

Respiratory sensitisation Based on available data the classification criteria are not met.

Skin sensitisation

Skin sensitisation Based on available data the classification criteria are not met.

Germ cell mutagenicity

Genotoxicity - in vivoDoes not contain any substances known to be mutagenic.

Carcinogenicity

Carcinogenicity Does not contain any substances known to be carcinogenic.

Reproductive toxicity

Reproductive toxicity -

Does not contain any substances known to be toxic to reproduction.

development

Specific target organ toxicity - single exposure

STOT - single exposure No information available.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure No information available.

Aspiration hazard

Aspiration hazard Based on available data the classification criteria are not met.

General information

No specific health hazards known.

No specific health hazards known.

Ingestion May cause nausea, headache, dizziness and intoxication.

Deb InstantFOAM

Skin Contact Skin irritation should not occur when used as recommended.

Eye contact Irritating to eyes. Symptoms following overexposure may include the following: Redness.

Pain.

ETHANOL

Acute toxicity - oral

Acute toxicity oral (LD₅o

10,470.0

mg/kg)

Species Rat

ATE oral (mg/kg) 10,470.0

Acute toxicity - dermal

Acute toxicity dermal (LD₅o

mg/kg)

20,000.0

Species Rabbit

Acute toxicity - inhalation

Acute toxicity inhalation

(LC50 vapours mg/l)

117.0

Species Rat

ATE inhalation (vapours

117.0

mg/l)

Skin corrosion/irritation

Animal data Oedema score: Very slight oedema -barely perceptible (1).

Carcinogenicity

Carcinogenicity Based on available data the classification criteria are not met.

PROPAN-1-OL

Acute toxicity - oral

Notes (oral LD50) LD50 >2000 mg/Kg Rat

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀ 4,000.0

mg/kg)

Species Rabbit

Acute toxicity - inhalation

Notes (inhalation LC₅o) LC50 >20mg/L 4h Rat

Skin corrosion/irritation

Animal data Erythema/eschar score: No erythema (0). Oedema score: No oedema (0).

Serious eye damage/irritation

Serious eye H318

damage/irritation

SECTION 12: Ecological Information

Deb InstantFOAM

Toxicity The product is not expected to be toxic to aquatic organisms.

ETHANOL

Acute toxicity - fish LC50, 96 hours: 15300 mg/l, Pimephales promelas (Fat-head Minnow)

LC₅₀, 96 hours: mg/l, Algae

Acute toxicity - aquatic

invertebrates

 EC_{50} , > 48 hours: 10000 mg/l, Daphnia magna

EC₅₀, : 858 24H mg/l, Marinewater invertebrates

EC₅₀, 48 hours: mg/l, Daphnia magna

Acute toxicity - aquatic

plants

EC₅o, 72 hours: 275 mg/l, Freshwater algae

IC₅₀, 72 hours: 5000 mg/l, Fish

PROPAN-1-OL

Acute toxicity - fish LC₅₀, 96 hours: 4480 mg/l, Algae

Acute toxicity - aquatic

invertebrates

EC₅₀, 48 hours: 3644 mg/l, Daphnia magna

Acute toxicity - aquatic

plants

EC₅₀, 192 hours: 3100 mg/l, Freshwater algae

Acute toxicity - microorganisms

IC₅₀, 3 hour: >1000 mg/l, Activated sludge

Persistence and degradability

Persistence and degradability The product is expected to be biodegradable.

Bioaccumulative potential

Bioaccumulative Potential No data available on bioaccumulation.

Partition coefficient Not determined.

Mobility in soil

Mobility The product is soluble in water.

Other adverse effects

Other adverse effects None known.

SECTION 13: Disposal considerations

Waste treatment methods

General information Dispose of waste to licensed waste disposal site in accordance with the requirements of the

local Waste Disposal Authority.

Disposal methods Reuse or recycle products wherever possible. Dispose of waste to licensed waste disposal

site in accordance with the requirements of the local Waste Disposal Authority.

SECTION 14: Transport information

General No other information known.

UN number

UN No. (ADG) 1987 **UN No. (IMDG)** 1987

Deb InstantFOAM

UN No. (ICAO) 1987

UN proper shipping name

Proper shipping name (ADG) ALCOHOLS, N.O.S. (ETHANOL, PROPAN-1-OL)

Proper shipping name

ALCOHOLS, N.O.S. (ETHANOL, PROPAN-1-OL)

(IMDG)

Proper shipping name (ICAO) ALCOHOLS, N.O.S. (ETHANOL, PROPAN-1-OL)

Transport hazard class(es)

ADG class 3

ADG label 3

IMDG class 3

ICAO class/division 3

Transport labels



Packing group

ADG packing group II

IMDG packing group III

ICAO packing group

Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

Special precautions for user

EmS F-E, S-D

Hazchem Code •3YE

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

SECTION 15: Regulatory information

SECTION 16: Any other relevant information

General information Use biocides safely. Always read the label and product information before use.

Key literature references and

sources for data

Where Exposure Scenarios for the substances listed in Section 3 are available they have been assessed for the uses identified in this data sheet or on the product label and the

appropriate relevant information is incorporated into this Safety Data Sheet.

Revision comments New SDS Software

Revision date 13/12/2016

Revision 1

SDS No. 21383

Deb InstantFOAM

Hazard statements in full H225 Highly flammable liquid and vapour.

H318 Causes serious eye damage. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness.

Notes for Risk Phrases and Hazard Statements in Full

The full text for Risk Phrases and Hazard Statements in section 16 relates to the reference

numbers in sections 2 and 3 and not necessarily the finished product classification.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.