

# **Aerosol Low Irritant Surface Spray**

#### COMPANY AND PRODUCT IDENTIFICATION

Company Name Aaron Laboratories Pty Ltd

**ABN** 060 004 856 848

**Address** 21 Kitchen Road, Dandenong, VIC, 3175

**Emergency Tel:** (+614) 1817 9157

 $(+614)\ 0730\ 0286$ 

**Tel / Fax:** (+613) 9706 7673 / (+613) 9706 7622

Email: joseph@aaronlab.com.au

**Product Name** Community Co Swat Low Irritant Surface Spray 350g

Other Names Not relevant
Manufacturers Code COMM LISS

**Recommended use** Insect spray for crawling insects

**Poisons Information Centre** 

**AUSTRALIA** 13 11 26

**NEW ZEALAND** 0800 764 766 or 0800 POISON

## HAZARD(S) IDENTIFICATION

**Hazard Classification** This product is classified as hazardous under Australian WHS

Regulations. This product is classified as a Dangerous Good by the

Australian Dangerous Goods Code.

Flammable Aerosols, Cat 1

Compressed Gas

Aspiration Hazard, Cat 1 Serious Eye Irritation, Cat 2

**Hazard Statement(s)** Intentional misuse by deliberately concentrating and inhaling

contents

can be harmful or fatal.

H222 Extremely flammable aerosol

H280 Contain gas under pressure; may explode if heated H304 May be fatal if swallowed and enters the airways

H319 Causes serious eye irritation

**Signal** Danger

**Hazard Symbol** 



**Issue Date: 30/08/21** Page 1 of 7



## **Aerosol Low Irritant Surface Spray**

**Precautionary Statement(s)**  P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

P210 Keep away from heat/sparks/open flames/hot surfaces. -No smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Pressurized container: Do not pierce or burn, even after use.

P260 Do not breathe dust/fumes/gas/mist/vapours/spray.

P271 Use only in a well-ventilated area.

P312 Call a POISON CENTER/ doctor if you feel unwell

P305 IF IN EYES: hold eyes open, flood with water for at least 15

minutes and see a doctor.

P302 IF ON SKIN: wash thoroughly.

P301 + P331 IF SWALLOWED, rinse mouth with water. DO NOT

induce vomiting.

P402 Store in a cool dry place.

P410 + P412 Protect from sunlight. Do not expose to temperatures

exceeding 50°C/122°F.

For further health and safety information please refer to the full SDS.

Note: This product should not be used in any purpose or manner contrary to recommended use unless authorised.

### COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS Number	Proportion
Tetramethrin	7696-12-0	0-1%
Permethrin	52645-53-1	0-1%
Naptha (petroleum) hydrotreated heavy	64742-48-9	10-30%
Ethyl alcohol	64-17-5	30-60%
Hydrocarbon propellant		30-60%
- Propane	74-98-6	
- Butane	106-97-8	
Other ingredients		to 100%

## FIRST AID MEASURES

For advice, contact a Poisons Information Centre 131126. Ensure medical personnel are aware of the identity and nature (hydrocarbon propelled aerosol) involved.

**Inhalation:** Remove victim to fresh air to prevent further exposure. Propane is an asphyxiant. If breathing difficulties are experienced, seek immediate medical care. Do not use direct mouth to mouth method of resuscitation, use alternative respiratory method.

**Issue Date: 30/08/21** Page 2 of 7



# **Aerosol Low Irritant Surface Spray**

**Skin Contact:** Remove contaminated clothing and shoes and wash well skin with warm soapy water. If irritation persists, contact a doctor

**Eve Contact:** Flush out immediately with running water for at least 15 minutes. If symptoms persist, seek medical attention.

Ingestion: Due to high volatility of product, this is not likely to occur. If sprayed in mouth, rinse mouth with plenty of water. If swallowed, do NOT induce vomiting. Seek medical attention.

#### FIRE FIGHTING MEASURES

Beware- heat greater than 50 C / 122 °F may cause these extremely flammable, pressurised dispensers to rupture, and violently rocket in various directions. These rockets will release flammable and potentially toxic gasses, which will increase the risk of fire spreading. In extinguishing any fire beware of any residual unburnt gas that could reignite.

Suitable Small fire: Use water spray/fog/foam, dry chemical or carbon dioxide

**Extinguishing** (CO2).

Media Large fire: Use water spray/fog/foam.

Hazards Aerosols may rupture and rocket (become projectiles) when exposed to

> excessive heat. Released gases can form extremely flammable, invisible, odourless explosive mixtures with air. Released gases can be heavier than

air and travel to source of ignition causing flashback. Hazardous

concentrations can accumulate in a confined space (pits, low laying areas).

Fire can produce irritating, poisonous and corrosive gases. High

concentration of gas could cause dizziness or asphyxiation without warning

**Precautions / PPE** For large quantities, consider initial evacuation for at least 100m in all

directions.

Fight fire from protected position or use unmanned hose holders or monitor

Use spark-proof tools and explosion-proof equipment.

Wear SCBA and protective gloves. Structural firefighter's uniform provides limited protection. If large amounts are involved, wear SCBA and chemical

splash suit.

If impossible to safely extinguish fire, protect surroundings, withdraw from

area and allow fire to burn.

**Hazchem Code** (for Placarding and transport

If safe to do so, move undamaged aerosols from fire area but do not

approach hot aerosols.

only)

Cool aerosols with water before handling.

2YE

Class 2 flammable Gas

### ACCIDENTAL RELEASE MEASURES

Personal **Precautions, PPE** 

and Emergency **Procedures** 

Spill is flammable (until LPG dissipates). Eliminate all sources of ignition including static discharge. Wear protective gloves and safety glasses to prevent contamination of skin and eyes.

Minor spills: Keep area well ventilated and wipe up.

Major spills:

**Issue Date: 30/08/21** Page 3 of 7



# **Aerosol Low Irritant Surface Spray**

Isolate spill or leak area for at least 8 m in all directions. Eliminate all

sources of ignition within at least 15 m.

Keep upwind and to higher ground (propellant gas is heavier than air and will seek low points, pay special attention to drains and pits- these will

likely be explosive environments).

Major fire:

**Environmental Precautions** 

Consider initial evacuation for at least 100 m in all directions

Notify police and fire brigade of the location, material, UN Number,

quantity and emergency contact as well as condition and damage observed. Keep leaking containers away from drains, surface and ground water. Ensure leakage does not enter streams, sewers or drinking water supply.

Containment / Clean up Procedures

Eliminate all ignition sources, including static within at least 15 m. All

equipment used when handling the product must be earthed.

If water is available, spray leaking containers to reduce ignition hazard and disperse gas. Isolate area until gas has dispersed. Ventilate area. Avoid release to the environment. Do not empty into drains or natural waterways. Absorb spill with inert absorbent material (e.g. dry sand or earth) for disposal using an approved method or following local regulations.

#### HANDLING AND STORAGE

**Precautions for Safe Handling** 

Ensure spray nozzle is always directed away from user. Do not pierce or burn can after use. Extremely flammable- Do not spray on a naked flame or any incandescent material. Keep away from sources of ignition - No smoking. Do not breathe concentrated, vapour, mist or spray. Local exhaust ventilation may be necessary to minimise excessive vapour concentration (as long as they do not introduce risk of ignition), if levels are likely to be high or in a confined space.

**Conditions for** Safe Storage

Keep out of reach of children. Store in a well-ventilated area, away from damp or corrosive conditions. Protect from sunlight and do not expose to temperatures exceeding 50 °C / 122 °F. Store in accordance with Dangerous Goods Regulations and transport in accordance with the ADG

Code for Dangerous Goods Class 2.1

#### EXPOSURE CONTROLS / PERSONAL PROTECTION

**National** There is no established TLV (Threshold Limit Value) for this product.

Avoid exposure – obtain special instructions before use. **Exposure** 

Butane - TWA (Time-Weighted Average) is 800ppm / 1900mg/m<sup>3</sup> **Standards** 

Propane is an asphyxiant

**Biological Limit** 

Values

Not available.

**Engineering** Controls

No smoking. No flames or sources of ignition. Local exhaust ventilation may be necessary to minimise excessive vapour concentration, if levels

are likely to be high or in a confined space.

**Personal** Personal Protective Equipment is not required under normal conditions of use., When handling bulk quantities, wear protective gloves and safety **Protective** 

glasses. Do not exceed exposure limits. . **Equipment (PPE)** 

Issue Date: 30/08/21 Page 4 of 7



# **Aerosol Low Irritant Surface Spray**

#### PHYSICAL AND CHEMICAL PROPERTIES

**Appearance** Aerosol, Fine clear spray

**Odour** Pine

pH Not available
 Vapour Pressure Not available
 Vapour Density Not available
 Boiling point -42 to 0°C

(propellant)

**Solubility in Water** Immiscible **Specific Gravity** 0.58 approx

(propellant)

**Flash Point (propellant)** -104 to -60°C

**Flammable limits** 1.5% to 9.6% in air (v/v)

(propellant)

**Ignition Temperature** 

(propellant)

494°C to 600°C

#### STABILITY AND REACTIVITY

Chemical Stability Stable under normal ambient conditions of storage and use. Avoid

heat sources. Aerosol cans may explode/burst violently when subject

to extremes of heat or pressure and may become projectiles.

Conditions to avoid Heat, flames and sparks. Avoid static charge and discharge with high

concentrations and in confined space. Avoid damp or corrosive

conditions.

**Incompatible Materials /** 

**Hazardous Reactions** 

Hazaruous Keachons

Hazardous

Can react violently with oxidising agents – chlorine, pool chlorine or

nitric acid.

Products may include oxides of carbon and nitrogen.

**Decomposition Products** 

#### TOXICOLOGICAL INFORMATION

Potential adverse health effects and symptoms associated with exposure to the material Vapours may cause light-headedness, drowsiness and dizziness. **Ingestion**: Unlikely due to high volatility of product, but is harmful,

may cause lung damage if swallowed.

Eyes: Liquid will cause severe damage. Vapour may cause irritation.

**Skin**: May cause cold burn. Irritating to skin.

**Inhalation**: Intentional misuse by deliberately concentrating and inhaling contents can be harmful or fatal. May cause lightheadedness, dizziness and drowsiness. Excessive exposure may cause unconsciousness or even death, due to asphyxiation.

#### **ECOLOGICAL INFORMATION**

**Issue Date: 30/08/21** Page 5 of 7



# **Aerosol Low Irritant Surface Spray**

The information provided is based on data available for the material and the components of the material.

**Ecotoxicity / Persistence** 

/ Degradability /

**Mobility** 

Propellant will vaporise rapidly when released to atmosphere. Propellant consists of hydrocarbons that photo chemically

decompose under atmospheric conditions.

#### DISPOSAL CONSIDERATIONS

Disposal of material must comply with local laws and regulations at time of disposal.

**Consumer Instructions** Do not pierce or burn can. Containers can be disposed of in the

normal household waste stream. Recycle empty can.

Dispose of according to Local, State and National regulations. **Bulk quantities** 

## TRANSPORT INFORMATION

Transport in accordance with the requirements of ADG Code.

**UN Number** 1950

**Proper Shipping Name** 

(**ADG 7, IMDG**)

**Proper Shipping name** 

(IATA)

**EMS Code Emergency Procedure** 

Guide

**Class and subsidiary** 

risk(s)

**Packaging Group** 

**Hazchem Code Special Precautions for** 

Users

None allocated

F-D, S-U

2D1

2.1

**AEROSOLS** 

2YE

Keep out of reach of children. Spray in well-ventilated area.

AEROSOLS, FLAMMABLE

Keep away from sources of ignition – No smoking.

Extremely flammable - Do not spray on a naked flame or any

incandescent material.

DO NOT spray directly on humans, pets, exposed food, food

preparation areas or food utensils. Remove or cover fish tanks before

spraying.

Keep spray away from eyes. DO NOT spray into the air.

Avoid breathing product spray.

Avoid use on plastic and painted surfaces.

#### REGULATORY INFORMATION

**Poisons Schedule** Not applicable Issue Date: 30/08/21 Page 6 of 7



# **Aerosol Low Irritant Surface Spray**

**Additional information** Not applicable

**Issue Date: 30/08/21** Page 7 of 7